

# Vitamin D-3

5,000 IU



## DESCRIPTION

Vitamin D contains 5,000 I.U. of natural vitamin D3 per tablet.

## FUNCTIONS

Vitamin D, also known as the “sunshine vitamin,” is an essential vitamin that plays many important roles in the proper functioning of the body. Though classified as a vitamin, vitamin D is actually a key regulatory hormone for calcium and bone metabolism. Adequate vitamin D status is essential for ensuring normal calcium absorption and maintenance of healthy plasma calcium levels. Besides bone support, vitamin D has many other roles in the body, including modulation of cell growth, neuromuscular and immune function and inflammatory support.

Numerous scientists now feel that supplementation with vitamin D at levels greater than previously thought necessary is critical to helping maintain healthy bone remodeling and healthy vitamin D plasma levels.

Even though the human body can manufacture vitamin D under ideal circumstances, there is strong evidence that much of the American population suffers from a deficiency of the nutrient. This means that supplementation may be important.

## INDICATIONS

Vitamin D 5,000 IU may be a useful dietary supplement for those individuals wishing to support general health or whose requirements for vitamin D cannot be met by lower potency products.

## SIDE EFFECTS

No adverse effects have been reported.

## FORMULA (WW #10252)

### 1 Softgel Capsule Contains:

Vitamin D-3 ..... 5,000 I.U.  
(as cholecalciferol)

Other Ingredients: Softgel (gelatin, glycerin and water), safflower oil, and cholecalciferol.

Cholecalciferol (D3) is a natural, highly bioavailable form of vitamin D derived from lanolin.

This product contains NO sugar, salt, dairy, yeast, wheat, gluten, soy, preservatives, artificial colors or flavors.

## SUGGESTED USE

As a dietary supplement, adults take 1 softgel daily with meals, or as directed by a healthcare professional.

## STORAGE

Store in a cool, dry place, away from direct light. Keep out of reach of children.

## REFERENCES

- Backstrom MC, Maki R, Kuusela AL, Sievanen H, Koivisto AM, Ikonen RS, Kouri T, Maki M. Randomised controlled trial of vitamin D supplementation on bone density and biochemical indices in preterm infants. Arch Dis Child Fetal Neonatal Ed. 1999 May;80(3):F161-6.
- Brenner S, Horwitz C. Possible nutrient mediators in psoriasis and seborrheic dermatitis. II. Nutrient mediators: essential fatty acids; vitamins A, E and D; vitamins B1, B2, B6, niacin and biotin; vitamin C selenI.U.m; zinc; iron. World Rev Nutr Diet 1988;55:165-182.
- Gillespie WJ, Henry DA, O'Connell DL, Robertson J. Vitamin D and vitamin D analogues for preventing fractures associated with involutional and post-menopausal osteoporosis. Cochrane Database Syst Rev. 2000;(2):CD000227. Vitamin D 5,000 I.U.
- Recker RR, Davies KM, Dowd RM, Heaney RP. The effect of low-dose continuous estrogen and progesterone therapy with calcium and vitamin D on bone in elderly women. A randomized, controlled trial. Ann Intern Med. 1999 Jun 1;130(11):897-904.
- Reid IR. The roles of calcium and vitamin D in the prevention of osteoporosis. Endocrinol Metab Clin North Am. 1998 Jun;27(2):389-98.
- Stallings VA. Calcium and bone health in children: a review. Am J Ther. 1997 Jul-Aug;4(7-8):259-73.
- Swaminathan R. Nutritional factors in osteoporosis. Int J Clin Pract. 1999 Oct-Nov;53(7):540-8. 22.

Manufactured For:

**Fireside Pharmacy**  
73847 Hwy III  
Palm Desert, CA 92260  
760.346.1113